

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claim in the application.

**Listing of Claims:**

1. (Previously Presented) A shield cover for a liquid crystal display (LCD), wherein the LCD includes a variable resistor VR for optimizing flickering by adjusting a common voltage (Vcom), the shield cover comprising:

a structure arranged over the variable resistor that is openable for adjusting the common voltage.

2. (Previously Presented) A shield cover as claimed in claim 1, wherein the structure includes a U-shaped opening in the shield cover around the variable resistor, such that the variable resistor is selectively exposable by the structure.

3. (Previously Presented) A shield cover as claimed in claim 2, wherein a corner of the structure is chamfered.

4. (Previously Presented) A shield cover as claimed in claim 1, wherein the LCD further includes a module connector connectable to a board connector, the shield cover further comprising an opened part arranged over the module connector, wherein the module connector is connectable to the board connector through the opened part.

5. (Previously Presented) The shield cover as claimed in claim 4, wherein the opened part includes a slit.

6. (Currently Amended) A shield cover as claimed in claim ~~[[4]]~~ 5, wherein the slit is arranged over an end of the module connector, wherein the slit is opened when the board connector is connected to the module connected and wherein the slit is closed when the board connector is disconnected from the module connector.

7. (Previously Presented) A shield cover for a liquid crystal display (LCD), wherein the LCD includes a printed circuit board (PCB) at a rear of a display module, comprising:

- a covering structure over the PCB; and
- a slit in the covering structure over the PCB.

8. (Previously Presented) The shield cover of claim 7, wherein the LCD further includes a variable resistor at the rear of the display module, the shield cover further comprising a flap in the covering structure over the variable resistor.

9. (Original) The shield cover of claim 8, wherein the flap includes a chamfered corner portion.

10. (Previously Presented) The shield cover of claim 8, wherein the flap is U-shaped.

11. (Original) The shield cover of claim 10, wherein the flap includes a chamfered corner portion.

12. (Currently Amended) A shield cover for a liquid crystal display device having at least one device component, comprising:

at least one elastically deformable region, wherein ~~[[at]]~~ the at least one device component is selectively exposable by the at least one elastically deformable region.

13. (Previously Presented) The shield cover according to claim 12, wherein the at least one device component includes a variable resistor.

14. (Previously Presented) The shield cover according to claim 13, wherein the at least one elastically deformable region includes a flap.

15. (Previously Presented) The shield cover according to claim 14, wherein a corner portion of the flap is chamfered.

16. (Previously Presented) The shield cover according to claim 14, wherein the flap is elastically deformable away from the variable resistor to selectively expose the variable resistor.

17. (Previously Presented) The shield cover according to claim 12, further comprising a slit, wherein the at least one elastically deformable region is arranged proximate the slit.

18. (Previously Presented) The shield cover according to claim 17, wherein the at least one device component includes a module connector arranged on a printed circuit board (PCB) and wherein the module connector is connectable to a board connector through the slit.

19. (Previously Presented) The shield cover according to claim 18, wherein the at least one elastically deformable region arranged proximate the slit is elastically deformable toward the modular connector to selectively expose the modular connector.

20. (Previously Presented) The shield cover according to claim 18, wherein the at least one elastically deformable region arranged proximate the slit is arrangeable beneath the board connector.

21. (Previously Presented) A liquid crystal display (LCD), comprising:  
a display module;  
a printed circuit board (PCB) fitted to the display module; and  
a shield cover on the PCB, the shield cover including at least one elastically deformable region.

22. (Previously Presented) The LCD according to claim 21, further comprising a variable resistor arranged on the PCB.

23. (Previously Presented) The LCD according to claim 22, wherein the at least one elastically deformable region includes a flap formed over the variable resistor.

24. (Previously Presented) The LCD according to claim 23, wherein a corner portion of the flap is chamfered.

25. (Previously Presented) The LCD according to claim 23, wherein the flap is elastically deformable away from the variable resistor to selectively expose the variable resistor.

26. (Previously Presented) The LCD according to claim 21, further comprising a module connector arranged on the PCB, wherein the module connector is connectable to a board connector.

27. (Previously Presented) The LCD according to claim 26, wherein the shield cover includes a slit formed over the module connector.

28. (Previously Presented) The LCD according to claim 27, wherein the at least one elastically deformable region is arranged proximate the slit.

29. (Previously Presented) The LCD according to claim 28, wherein the at least one elastically deformable region arranged proximate the slit is elastically deformable toward the modular connector to selectively expose the modular connector.

30. (Previously Presented) The LCD according to claim 28, wherein the at least one elastically deformable region arranged proximate the slit is arrangeable between the board connector and the display module.